# Department of Defense Standardization Program



# **ASSIST UPDATE**

(A bi-monthly summary of changes to the ASSIST document database)

1 July 2011

(For the Period 15 June 2011 to 30 June 2011)

#### ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document. "N" indicates that a "new" document has been entered into the ASSIST database. "M" indicates that a document already in ASSIST has been "modified" in some way. The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.daps.dla.mil for the most current information. If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.daps.dla.mil/online/registration/registration.cfm. Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <a href="https://assist.daps.dla.mil/online/news/AlertService.htm">https://assist.daps.dla.mil/online/news/AlertService.htm</a>.

# ASSIST UPDATE

7 1	CTIVE SECTION	ASSIST UPDATE					
LAST ACTION			DISTRIBUTION	FSC/AREA		ACTY	
AST			ISTR	SC/A	MCA	PREP	
M	DOCUMENT NUMBER MIL-DTL-1312F	DOCUMENT TITLE  Cartridge, Caliber .30, Blank, M1909 [CUST: AR OS 99] [REVIEW: 70 AS MC MR NP]	D		2	AR	30-JUN-2011
	MIL-DTL-60896B NOT 1	Cartridge, 7.62 Millimeter: NATO, Reference [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR NP]	A	1305		AR	22-JUN-2011
	MIL-DTL-32387 MIL-DTL-32088B	Explosive, Ink: EDF-11 [CUST: AR OS 99] [REVIEW: 11 70 AS NP TE] Inflation Device, Automatic, FLU-12/P [CUST: OS]	A	1376 1377		AR OS	27-JUN-2011 20-JUN-2011
	MIL-PRF-32379	Shield, Ballistic - Shipboard Crew-Served Weapon Station [CUST: SH 99] [REVIEW: CC]	A			SH	03-MAY-2011
	MIL-DTL-62073H	Trailer, Flatbed: 4-, 5-, and 7.5-Ton, 4-Wheel (Tandem) Cart Type; Trailer, Bolster: 4-Ton, 4-Wheel (Tandem) [CUST: AT]		2330		AT	16-JUN-2011
	MS27811A(1) NOT 2 MS27813A NOT 4	Tire - Pneumatic Retread, Type VII 49 X 17/26 PR [CUST: 70] [REVIEW: GS] Tire Pneumatic Retread, Type VII 56 X 16 / 38 PR 250 MPH [CUST: AS 70] [REVIEW: CC GS]		2620 2620		70 70	29-JUN-2011 29-JUN-2011
1	MS27815C(1) NOT 3	Tire - Pneumatic Rebuilt, Type VII 44 X 16, 28 PR [CUST: 70] [REVIEW: GS]	A			70	29-JUN-2011
1	MS27817B(1) NOT 3	Tire - Pneumatic Rebuilt, Type V11 36 X 11/22 PR [CUST: 70] [REVIEW: GS]	l	2620		70	29-JUN-2011
1	MS27823A NOT 4 BB-E-2879A(1) NOT 2	Tire - Pneumatic Rebuilt, Type VII 20.00-20/26 PR [CUST: AS 70] [REVIEW: CC GS] Extinguisher, Fire, Carbon Dioxide (CO2), Portable, with Mounting Bracket, for Aviation Use	A	2620 4210	/	70 AS	29-JUN-2011 20-JUN-2011
		[CUST: AV AS] [REVIEW: CC IS]		1210			
1	MIL-PRF-51483A MIL-DTL-81581B SUP 1 NOT 1	Edgeseal Material, Self-Adhering [CUST: EA] Hose Assemblies, Breathing Oxygen and Air, General Specification for [CUST: AV AS 11]	A	4240 4720		EA AS	08-JUN-2011 20-JUN-2011
M	MIL-DTL-81581/1B NOT 1	Hose Assemblies, Air, Low Pressure, Highly Flexible [CUST: AV AS 11]	A	4720		AS	20-JUN-2011
M	MIL-DTL-81581/2B NOT 1	Hose Assemblies, Breathing Oxygen, High Pressure with Connections for an Integrated Communication System [CUST: AS]	A	4720		AS	20-JUN-2011
M	MIL-DTL-81581/3B NOT 1	Hose Assemblies, Breathing Oxygen, High Pressure, without Connections for Communication Systems [CUST: AV AS 11]	A	4720		AS	20-JUN-2011
M	MIL-DTL-81581/4B NOT 1	Hose Assemblies, Breathing Oxygen, Low Pressure, with/without Connections for an Integrated Communication System [CUST: AS 11]	A	4720		AS	20-JUN-2011
1	MIL-DTL-81581/6B NOT 1	Hose Assemblies, Breathing Oxygen and Air, Hose Kits and Mated Assemblies [CUST: AS 11]	l	4720		AS	20-JUN-2011
1	MIL-DTL-81581/7A NOT 1 MIL-DTL-81581/8A NOT 1	Hose Assemblies, Combined Assemblies, Hose and Communication Cable [CUST: AS 11] Hose Assemblies, Cable Assemblies, Communication, Associated [CUST: AS 11]	A	4720 4720		AS AS	20-JUN-2011 20-JUN-2011
M	MS9197D(2)	Nut, Tube Coupling-CRES SAE-AMS5646, Silver Plate [CUST: AS 99 CC] [REVIEW: 71 MC]	A	4730		CC	30-JUN-2011
	MS27769B MIL-DTL-45913D	Plug, Pipe, Countersink Hex Head [CUST: AV AS 99 CC] [REVIEW: 71 MC SH] Nuts, Self-Locking, Hexagon, Prevailing Torque [CUST: AR OS 99 IS] [REVIEW: 71 AT AV CR		4730 5310		CC IS	09-JUN-2011 14-JUN-2011
	MIL-DTL-45913/1A	Nut, Self-Locking, Hexagon, Non-Metallic Locking Feature, 250 Degrees F, UNC/UNF-2B [CUST:				IS	14-JUN-2011
	MIL-DTL-45913/2A	AR OS 99 IS] [REVIEW: 71 AS AT AV CR4 EA GL MC MI YD] Nut, Self-Locking, Hexagon All-Metal Locking Feature, 250 Degrees F, UNC/ UNF-2B [CUST: AR				IS	14-JUN-2011
	MIL-DTL-45913/3B	OS 99 IS] [REVIEW: 71 AS AT AV CR4 EA GL MC MI YD] Nut, Self-Locking, Hexagon Non-Metallic Locking Feature, 250 Degrees F, UNC/UNF-3B [CUST:		5310		IS	14-JUN-2011
M	MIL-DTL-45913/4B	AR OS 99] [REVIEW: 71 AS AT AV CR4 EA GL MC MI] Nut, Self-Locking, Hexagon All-Metal Locking Feature, 250 Degrees F, UNC/UNF-3B [CUST: AR	A	5310		IS	14-JUN-2011
M	MS16994F	OS 99 IS] [REVIEW: 71 AS AT AV CR4 EA GL MC MI] Nut, Plain, Knurled [CUST: 99 IS]	A	5310		IS	27-JUN-2011
M	MS17825J	Nut, Self-Locking, Castellated, Hexagon, .250 Degrees F Non-Metallic Insert [CUST: AS 99 IS]		5310		IS	27-JUN-2011
	MIL-HDBK-57F MIL-DTL-32384	Listing of Fastener Manufacturer's Identification Symbols [CUST: IS]  Decal, Electronic Identification [CUST: AR]	A D	53GP 5915		IS AR	21-JUN-2011 30-JUN-2011
1	MIL-PRF-55629E	Circuit Breakers, Magnetic, Unsealed or Panel Seal, Trip-Free, General Specification for [CUST: CR EC 85 CC] [REVIEW: EA]	l			CR	10-JUN-2011
M	MIL-PRF-31031/12A(1) NOT 1	Connector, Receptacle, Electrical, Radio Frequency, Series BMA, Jamnut Mount, for Semirigid Cable, Pin Contact, High Reliability [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	29-JUN-2011
M	MIL-PRF-39012/40J	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency (Series SC (Cabled), Socket Contact, Jam Nut, Rear Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	08-JUN-2011
M	MIL-PRF-39012/55H	Connectors, Plugs, Electrical, Coaxial, Radio Frequency (Series SMA (Cabled) - Plug, Pin Contact, Class 2) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT EA MC MI OS SH]	A	5935		CC	08-JUN-2011
M	MIL-DTL-83723/97C(1)	Connectors, Electrical, (Circular, Environment Resisting), Plug, (Threaded Coupling, Self-Locking, R.F.I. Grounding, Crimp Socket Contacts), (Series III, Classes N and S Firewall) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MI]	A	5935		CC	27-JUN-2011
M	MIL-DTL-83723/98C(1)	Connectors, Electrical, (Circular, Environment Resisting), Plug, (Threaded Coupling, Self-Locking, R.F.I. Grounding, Crimp Pin Contact), (Series III, Classes N and S Firewall) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MI]	A	5935		CC	27-JUN-2011
	A-A-59126/16A A-A-59126/30A	Terminals, Stud (Noninsulated) Style SE16 [CUST: CR EC 85] [REVIEW: GS] Terminals, Stud, Double Turret (Noninsulated, Swage Mounted) Style SE30 [CUST: CR AS 85]	A A		/	CR CR	31-MAY-2011 31-MAY-2011
	A-A-59126/30A MIL-PRF-83726/35B	[REVIEW: GS] Relays, Hybrid, Time Delay (on Operate), Class B, Type I, Hermetically Sealed, 4PDT, 10 Amperes,		5940	/	CC	31-MAY-2011 17-JUN-2011
		Fixed Time Delay, 0.1 to 600 Seconds [CUST: CR EC 85 CC]					
	MIL-PRF-1/747F MIL-PRF-1/1056F	Electron Tube, Cathode Ray 3XP1 [CUST: CR EC 85 CC] [REVIEW: 99 CG MC MI OS] Electron Tube, Cathode Ray Type 12SP7D [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC]	l	5960 5960		CC CC	21-JUN-2011 21-JUN-2011
	MIL-PRF-1/1261H	Electron Tube, Cathode Ray Types 12ABP1A, 12ABP7A, and 12ABP19A [CUST: CR EC 85 CC] [REVIEW: 99]		5960		CC	21-JUN-2011
	MIL-PRF-1/1400D	Electron Tube, Cathode Ray Type 12ATP28 [CUST: EC CC] [REVIEW: AS CG MC OS]	A			CC	21-JUN-2011
M	MIL-PRF-19500/255X NOT 1	Semiconductor, Device, Transistor, NPN, Silicon, Switching Types 2N2221A, 2N2221AL, 2N2222A, 2N2222AL, 2N2221AUA, 2N2222AUA, 2N2221AUB, 2N2222AUB, 2N2221AUB, 2N2221AUBC, and 2N2222AUBC, JAN, JANTXV, JANTXV, JANTXVD, JANTXVP, JANTXVV, JANTXVV, JANTXVV, JANTXVV, JANTXVV, JANTXVV, JANTXVV, JANTXVV, JANSS, JANSH, JANSC, JANSC, JANSC, JANSC, JANSC, JANSC, JANHCC, JANHCC, JANHCC, JANHCC, JANHCC, JANKCC, JANKC	A	5961		CC	15-JUN-2011
M	MIL-PRF-19500/385H(1)	Semiconductor Device, Field Effect Transistors, N-Channel, Silicon Types 2N4856 Through 2N4861, 2N4856UB Through 2N4861UB, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC] [REVIEW: 71 99 MI]	A	5961		CC	17-JUN-2011
ь	пп 2011	I .					

# **ASSIST UPDATE**

28/3506/18   28/3506/24   28/	<u></u>	CTIVE SECTION	ASSIST OFDATE					
MillPRF-1950/426F	z			Z				
MillPRF-1950/426F	191			Ĕ	-		7	
Mill_PRF_19500420F   Sommontheed Police, Transistor, NY, Sidon, High-Processor, Type 293866, 203866, April 19500420F   Sommontheed Police, Transistor, NY, 1950, April 19500420F   Sommontheed Police, Transistor, NY, 19500420F   Sommontheed Polic	AC			IΒſ	RE/		<b>√</b> C3	
Mill_PRF_19500420F   Sommontheed Police, Transistor, NY, Sidon, High-Processor, Type 293866, 203866, April 19500420F   Sommontheed Police, Transistor, NY, 1950, April 19500420F   Sommontheed Police, Transistor, NY, 19500420F   Sommontheed Polic	ST.			TR	Z/A	Ą	J. D.	
March   Mill   PRE-19300476F	LAS	DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MC	PRE	DATE
M. MIL-PRI-19500/25G   Semiconductor Device, Translore, PSP, Silicen, Amplifier Type, 244,877 and 240,875 TLANS, 1 A 5961 CC 29-JIN-20 (ACC)			Semiconductor Device, Transistor, NPN, Silicon, High-Frequency, Types 2N3866, 2N3866A, 2N3866UB, 2N3866AUB, JAN, JANTX, JANTXV, JANS, JANHC, JANKC, JANSM, JANSD, JANSP, JANSL, JANSR, JANSG, JANSH, JANHCD, JANHCD, JANHCP, JANHCL, JANHCR, JANHCP, JANHCH, JANHCH, JANHCR, JANHCF, JANHCC, JANHCR, JANKCR,	-				18-JUN-2011
March   Marc	М	MIL-PRF-19500/426F	Semiconductor Device, Transistor, PNP, Silicon, Amplifier Type 2N4957 and 2N4957UB JAN, JANTXV, JANTXVV, JANTXVVD, JANTXVP, JANTXVV, JANTXVR, JANTXVF, JANTXVV, JANTXVV, JANTXVV, JANTXVV, JANSP, JANSP, JANSP, JANSF, JANSF, JANSF, JANSF, JANSF, JANSF, JANSF, JANSF, JANHCM, JANHCM, JANHCM, JANHCM, JANHCM, JANHCM, JANKCM, JANKCM	A	5961		CC	29-JUN-2011
M. MIL-PRF-19500/4381 NOT 1   Semicondector Device, Transistor, PNF, Silicon, High-Power, Type 244599 and 285781, AN, A   5061   CC   0.1-JUL-20   M. MIL-PRF-19500/439F NOT 1   Semicondector Device, Transistor, NN, Silicon, New Power, Types 245061, 285665   CC   0.1-JUL-20   M. MIL-PRF-19500/4551   Semicondector Device, Transistor, NN, Silicon, New Power Switching, Type 245661, 285665   CC   29-JUN-20   M. MIL-PRF-19500/750C   Semicondector Device, Transistor, NN, Silicon, New Power Switching, Type 245661, 285665   CC   29-JUN-20   M. MIL-PRF-19500/750C   Semicondector Device, Transistor, NN, Silicon, New Power Device, June 1960/10-10-10-10-10-10-10-10-10-10-10-10-10-1	M	MIL-PRF-19500/428G NOT 1	Semiconductor Device, Field-Effect Transistor, N-Channel Silicon, Type 2N4416A and 2N4416AUB, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC] [REVIEW: 19 99 MC	A	5961		CC	01-JUL-2011
M. MIL-PRF-19500455]   MANY, JANYS, JANYE, and JANNEC (CUSTS OR DE SEC NA) [REVIEW. 19.48 M. WISOMARD COVER. TRANSITE, DAYS, 15000, 1900 1901, JANYS, JANY	M	MIL-PRF-19500/433H NOT 1	Semiconductor Device, Transistor, PNP, Silicon, High-Power, Type 2N4399 and 2N5745, JAN,	A	5961		CC	01-JUL-2011
M. MIL-PRF-19500/355   Semiconductor Device, Transistor, NPN, Silicen, Power Switching, Types 2NS664, 28566S, 2NS666S, 2NS666S, 2NS667S, 2NS667S, 2NS67S, ANN, ANNS, LANNS, LAN	M	MIL-PRF-19500/439F NOT 1	JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AS MC	A	5961		CC	01-JUL-2011
M. MIL-PRF-19500730 NOT 1   Semiconductor Device, Diode, Silicon, Schottly, Dual, Center Tap, Types 1N7037CCU1   A 5961   CC 01-JUL-20   M. MIL-PRF-19500736 NOT 1   Semiconductor Device, Diode, Silicon, Schottly, Dual, Center Tap, Types 1N7037CCU1   A 5961   CC 01-JUL-20   M. MIL-PRF-19500736 NOT 1   Semiconductor Device, Tansibra, N. JANTX, JANTX, and JANS (CUST: CR EC 85 CC NA)   A 5961   CC 01-JUL-20   M. MIL-PRF-19500736 NOT 1   Semiconductor Device, Tansibra, N. P. Silicon, Schottly, Dual, Center Tap, Types 1N7032, N. P. Silicon, Schottly, Dual, P. Silicon, Dual, P. Silicon, Dual, P. S			Semiconductor Device, Transistor, NPN, Silicon, Power Switching, Types 2N5664, 2N5665, 2N56666, 2N56666, 2N56666, 2N56666, 2N56666, 2N56667, and 2N56678, JAN, JANTX, JANTXV, JANS, JANSM, JANSP, JANSL, JANSE, JANSF, JANSH, JANHC, and JANKCA, JANKCB, JANKCAM, JANKCAD, JANKCAP, JANKCAL, JANKCAF, JANKCAF, JANKCAG, and JANKCAH [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI]					29-JUN-2011
M MIL-PRF-19500734 NOT 1   Semiconductor Device, Transistor, NPN, Silicon, Power Durlington, Prispes 237956, 197570, and 287571 JAN, JANTX, JANTXV and JANS (CUST: CR EC 85 CC NA)   M MIL-PRF-19500736 NOT 1   Semiconductor Device, Transistor, PNP, Silicon, Power Durlington, Prispes 237956, 197570, and 287574 JAN, JANTX, JANTXV, and JANS (CUST: CR EC 85 CC NA) [REVIEW M]   A 5961   CC 01-JUL-201	M	MIL-PRF-19500/705C	Transistor, N-Channel, Silicon Types 2N7488T3, 2N7489T3, and 2N7490T3, JANTXVR and	A	5961		CC	24-JUN-2011
28/7571 JAN, JANTX, JANTXY and JANS (CUST: CR EC 85 CC NA)   M MIL-PRF-19500736 NOT 1	M	MIL-PRF-19500/730 NOT 1		A	5961		CC	01-JUL-2011
287574_JAN_JANTX	M	MIL-PRF-19500/734 NOT 1	2N7571 JAN, JANTX, JANTXV and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	01-JUL-2011
M MIL-PRF-19500/746B   Semiconductor Device, Field Effect Radiation Hardened Total Dose and Single Event Effects)   Semiconductor Device, Field Effect Radiation Hardened Total Dose and Single Event Effects)   Transistor, N-Channel, Silicon, Types 2N7587U3, 2N7587U3, 2N7587U3, 2N7589U3, 2N7580U3, 2N7580U	M	MIL-PRF-19500/736 NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Power Darlington Types 2N7572, 2N7573, and 2N7574, JAN, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: MI]	A	5961		CC	01-JUL-2011
Transistor, N-Channel, Silicon, Types 287587U3C, 287758U3C, 2877	M	MIL-PRF-19500/738 NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Power Darlington, Types 2N7575, 2N7576, and 2N7577, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	01-JUL-2011
M MIL-DTL-15370J         Couplers, Directional General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS MI OS SH]         A 5985         CC 17-JUN-20 MI OS SH]           M MIL-DTL-15370/4E         Couplers, Directional (Waveguide-Multihole) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]         A 5985         CC 15-JUN-20 SH           M ML-DTL-15370/5E         Couplers, Directional (Waveguide-Crossguide) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]         A 5985         CC 17-JUN-20 ST           M A-A-55563/25 NOT 1         Holder, Electrical Card, Metal Card Guide, Open Ended, with 2 Mounting Holes, for use with Heat Slick [CUST: CR EC 85 CC] [REVIEW: 99]         A 5989         / CC 01-JUL-20 ST           N TECHAMERICA-GEIA-SSB1         Holder, Electrical Card, Metal Card Guide, Open Ended, with 3 Mounting Holes, for Use with Heat Slick Encapsulated Microcircuits and Semiconductors in Military, Acrospace and Other Rugged Applications, Guidelines for Using (UST: CR EC 85 CC] [REVIEW: 99]         A 5998         / CC 01-JUL-20 ST           N MIL-PRF-32383         Batteries, Rechargeable, Sealed, Edithium-Ion, BB-2545/U [CUST: CR MC 99] [REVIEW: 71 AS CC SI]         A 6140         CR 16-JUN-20 ST           N MIL-PRF-32383/2         Battery, Rechargeable, Sealed, BB-2590/U, BB-390/U, BB-390/U, and BB3590/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]         A 6140         CR 61-JUN-20 ST           M MIL-E-53126 NOT 3         Electrical Distribution Equipment [CUST: CR4]         A 6150         CR4 01-JUN-20 ST           M A 53422 A NOT 3         Electrical	M	MIL-PRF-19500/746B	Transistor, N-Channel, Silicon, Types 2N7587U3, 2N7587U3C, 2N7589U3, ŽN7589U3C, 2N7591U3, 2N7591U3C, 2N7593U3, and 2N7593U3C, JANTXVR, JANTXVF, JANSR, and	A	5961		CC	24-JUN-2011
MIL-DTL-15370/4E  MIL-DTL-15370/4E  MIL-DTL-15370/4E  Couplers, Directional (Waveguide-Multihole) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS A 5985 CC 15-JUN-20 SH]  MIL-DTL-15370/5E  Couplers, Directional (Waveguide-Crossguide) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]  M. A-A-55563/25 NOT 1  Moder, Electrical Card, Metal Card, Guide, Open Ended, with 2 Mounting Holes, for use with Heat Sinks [CUST: CR EC 85 CC] [REVIEW: 99]  M. A-A-55563/26 NOT 1  Moder, Electrical Card, Metal Card Guide, Open Ended, with 2 Mounting Holes, for use with Heat Sinks [CUST: CR EC 85 CC] [REVIEW: 99]  M. A-A-55563/26 NOT 1  Moder, Electrical Card, Metal Card Guide, Open Ended, with 3 Mounting Holes, for use with Heat Sinks [CUST: CR EC 85 CC] [REVIEW: 99]  M. TECHAMERICA-GEIA-SSB1  Moder, Electrical Card, Metal Card Guide, Open Ended, with 3 Mounting Holes, for use with Heat Sinks [CUST: CR EC 85 CC] [REVIEW: 99]  M. TECHAMERICA-GEIA-SSB1  MIL-PRF-32383  MIL-PRF-32383  MIL-PRF-32383  MIL-PRF-32383  Battery, Rechargeable, Sealed General Specification for [CUST: CR MC 99] [REVIEW: 71 AS CC A 6140 CR 16-JUN-20 SH1]  M. MIL-PRF-32383/2  M. MIL-PRF-32383/3  M. MIL-PRF-32383/3  M. MIL-PRF-32383/3  M. MIL-PRF-32383/3  M. MIL-PRF-32383/3  M. MIL-PRF-324883/3  M. MIL-PRF-325883/3  M. MIL-PRF								02-JUN-2011 17-JUN-2011
M. MIL-DTL-15370/5E			MI OS SH] Couplers, Directional (Waveguide-Multihole) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS					15-JUN-2011
M. A-A-55563/25 NOT 1	M	MIL-DTL-15370/5E	Couplers, Directional (Waveguide-Crossguide) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC	A	5985		CC	17-JUN-2011
M. A-A-55563/26 NOT 1	M	A-A-55563/25 NOT 1	Holder, Electrical Card, Metal Card Guide, Open Ended, with 2 Mounting Holes, for use with Heat	A	5998	/	CC	01-JUL-2011
N TECHAMERICA-GEIA-SSB1	M	A-A-55563/26 NOT 1	Holder, Electrical Card, Metal Card Guide, Open Ended, with 3 Mounting Holes, for Use with Heat	A	5998	/	CC	01-JUL-2011
N. MIL-PRF-32383   Batteries, Rechargeable, Sealed General Specification for [CUST: CR MC 99] [REVIEW: 71 AS CC SH]   Battery, Rechargeable, Sealed, Lithium-Ion, BB-2545/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]   Battery, Rechargeable, Sealed, Lithium-Ion, BB-2580/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]   Battery, Rechargeable, Sealed, Lithium-Ion, BB-2580/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]   A 6140	N	TECHAMERICA-GEIA-SSB1	Plastic Encapsulated Microcircuits and Semiconductors in Military, Aerospace and Other Rugged	A	59GP		CC	17-JUN-2011
N MIL-PRF-32383/1   Battery, Rechargeable, Sealed, Lithium-Ion, BB-2545/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]   SHI   SHI   PRF-32383/2   Battery, Rechargeable, Sealed, Lithium-Ion, BB-2580/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]   A 6140   CR 16-JUN-20 SH]   SHI   PRF-32383/3   Battery, Rechargeable, Sealed, BB-2590()/U, BB-390()/U, and BB3590()/U [CUST: CR MC 99]   A 6140   CR 16-JUN-20 [REVIEW: 71 AS CC SH]   A 6150   CR4 01-JUN-20 [REVIEW: 71 AS CC SH]   A 6150   CR4 01-JUN-20 [REVIEW: 71 AS CC SH]   A 6150   CR4 01-JUN-20 [REVIEW: 71 AS CC SH]   A 6150   CR4 01-JUN-20 [REVIEW: 71 AS CC SH]   A 6220   GS2 22-JUN-20 [REVIEW: 11 AR AS MC SH]   A 6220   GS2 22-JUN-20 [REVIEW: 11 AR AS MC SH]   A 6220   GS2 22-JUN-20 [REVIEW: 11 AR AS MC SH]   A 6220   GS2 22-JUN-20 [REVIEW: 11 AR AS MC SH]   A 6240   GS2 22-JUN-20 [REVIEW: 11 AR AS MC SH]   A 6240   GS2 22-JUN-20 [REVIEW: 11 AR AS MC SH]   A 6240   GS2 22-JUN-20 [REVIEW: 11 AR AS MC SH]   A 6240   GS2 22-JUN-20 [REVIEW: 11 AR AS MC SH]   A 6240   GS2 22-JUN-20   A 6240   GS2 22-JUN-20   A 6240   GS2 22-JUN-20   Grease, Aircraft and Instrument, Gear and Actuator Screw [CUST: AT AS 11 GS] [REVIEW: 68   A 9150   AS 01-JUL-20; AV EA MI OS]   A 6240   GS2 22-JUN-20   A 6240	N	MIL-PRF-32383	Batteries, Rechargeable, Sealed General Specification for [CUST: CR MC 99] [REVIEW: 71 AS CC	A	6140		CR	16-JUN-2011
SH   SH   Battery, Rechargeable, Sealed, BB-2590(/U, BB-390()/U, and BB3590()/U [CUST: CR MC 99]   A 6140	N	MIL-PRF-32383/1	Battery, Rechargeable, Sealed, Lithium-Ion, BB-2545/U [CUST: CR MC 99] [REVIEW: 71 AS CC	A	6140		CR	16-JUN-2011
REVÍÉW: 71 ÅS CC SH    Electrical Distribution Equipment [CUST: CR4]   A 6150	N	MIL-PRF-32383/2	Battery, Rechargeable, Sealed, Lithium-Ion, BB-2580/U [CUST: CR MC 99] [REVIEW: 71 AS CC	A	6140		CR	16-JUN-2011
M MS35421A NOT 3         Lens, Clearance Marker Light, Service [CUST: MC GS2] [REVIEW: 11 AS IS]         A 6220         GS2         22-JUN-20           M MS18238C NOT 3         Lamp, Cartridge, Short Cylindrical, Plug-in, Incandescent, Glass (Flat Type) [CUST: CR 99 IS] [REVIEW: 11 AR AS MC SH]         A 6240         GS2         22-JUN-20           M A-A-20343A         Beef Chunks, Canned or in Flexible Pouches [CUST: GL SA 35 SS] [REVIEW: MC MD QM]         A 8905         / SS         15-JUN-20           M MIL-PRF-23827C(2) NOT 1         Grease, Aircraft and Instrument, Gear and Actuator Screw [CUST: AT AS 11 GS] [REVIEW: 68 AV EA MI OS]         A 9150         AS         01-JUL-201           M MIL-PRF-32014A NOT 1         Grease, Aircraft and Instrument [CUST: CR4 AS 68] [REVIEW: AR AV EA MI PS SH]         A 9150         AS         22-JUN-20           M MIL-PRF-32033(2) NOT 1         Lubricating Oil, General Purpose, Preservative (Water-Displacing, Low Temperature) [CUST: AT AS 11] [REVIEW: 01 OS 068 AR GS MC MD MI PS SA SM]         A 9150         AT         29-JUN-20           M MIL-PRF-29612B NOT 2         Training Data Products [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM]         A SESS         AS         20-JUN-20           M DI-SESS-81404A         Weight and Stability Reports for In-Service Surface Ships [AMSC: N9202]         A SESS         SH         22-JUN-20           M DI-SESS-81517B NOT 2         Instructional Media Requirements Document         A SESS	N	MIL-PRF-32383/3	Battery, Rechargeable, Sealed, BB-2590()/U, BB-390()/U, and BB3590()/U [CUST: CR MC 99]	A	6140		CR	16-JUN-2011
Lamp, Cartridge, Short Cylindrical, Plug-in, Incandescent, Glass (Flat Type) [CUST: CR 99 IS]   A 6240   GS2 22-JUN-20								01-JUN-2011
REVIEW: 11 AR AS MC SH    Beef Chunks, Canned or in Flexible Pouches [CUST: GL SA 35 SS] [REVIEW: MC MD QM]   A 8905	1							22-JUN-2011
M MIL-PRF-23827C(2) NOT 1 Grease, Aircraft and Instrument, Gear and Actuator Screw [CUST: AT AS 11 GS] [REVIEW: 68 AV EA MI OS] M MIL-PRF-32014A NOT 1 Grease, Aircraft and Instrument [CUST: CR4 AS 68] [REVIEW: AR AV EA MI PS SH] M MIL-PRF-32033(2) NOT 1 Lubricating Oil, General Purpose, Preservative (Water-Displacing, Low Temperature) [CUST: AT AS 11] [REVIEW: 03 50 68 AR GS MC MD MI PS SA SM] M MIL-PRF-29612B NOT 2 Training Data Products [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM] M MIL-STD-3034 NOT 1 Reliability-Centered Maintenance (RCM) Process [CUST: AV SH 99] [REVIEW: 01 08 10 11 13 16 19 33 94 AC AR AS CC CG CH CR DC1 DC5 DH DI DMS EC HS MA MC MDA MI MP ND NP NRO NS OS PT SA SE SO SP TE TM] [AMSC: N9120] M DI-SESS-81404A M DI-SESS-81517B NOT 2 M DI-SESS-81517B NOT 2 M DI-SESS-81518B NOT 2 M DI-SESS-81519B NOT 2 Instructional Media Requirements Document A SESS AS 20-JUN-20 BIRSTRUCTIONAL Media Requirements Document A SESS AS 20-JUN-20 A SESS AS 20-JUN-20 A SESS AS 20-JUN-20 BIRSTRUCTIONAL Media Requirements Document A SESS AS 20-JUN-20 BIRSTRUCTIONAL MEDIA REQUIREMENTS DOCUMENT BIRSTRUCTIONAL MEDIA REVIEW: 68 A SESS AS 20-JUN-20 BIRSTRUCTIONAL MEDIA REVIEW: 68 A SESS BIRSTRUCTIONAL MEDIA REVIEW: 6			[REVIEW: 11 AR AS MC SH]					22-JUN-2011
M MIL-PRF-32014A NOT 1 M MIL-PRF-32033(2) NOT 1 Lubricating Oil, General Purpose, Preservative (Water-Displacing, Low Temperature) [CUST: AT AS 11] [REVIEW: 03 50 68 AR GS MC MD MI PS SA SM] M MIL-PRF-29612B NOT 2 Training Data Products [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM] M MIL-STD-3034 NOT 1 Reliability-Centered Maintenance (RCM) Process [CUST: AV SH 99] [REVIEW: 01 08 10 11 13 16 19 33 94 AC AR AS CC CG CH CR DC1 DC5 DH DI DMS EC HS MA MC MDA MI MP ND NP NRO NS OS PT SA SE SO SP TE TM] [AMSC: N9120] M DI-SESS-81404A M DI-SESS-81517B NOT 2 M DI-SESS-81517B NOT 2 M DI-SESS-81518B NOT 2 M DI-SESS-81519B NOT 2 Instructional Performance Requirements Document M DI-SESS-81519B NOT 2 Instructional Media Requirements Document A SESS AS 20-JUN-20 A 9150 A 9150 A 9150 A 9150 A 9150 A 9150 A SESS AS 20-JUN-20			Grease, Aircraft and Instrument, Gear and Actuator Screw [CUST: AT AS 11 GS] [REVIEW: 68			/		15-JUN-2011 01-JUL-2011
AS 11] [RĚVIEW: 03 50 68 ÅR GS MC MD MĨ PS SA SM]  M MIL-PRF-29612B NOT 2  Training Data Products [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM]  M MIL-STD-3034 NOT 1  Reliability-Centered Maintenance (RCM) Process [CUST: AV SH 99] [REVIEW: 01 08 10 11 13 16 19 33 94 AC AR AS CC CG CH CR DC1 DC5 DH DI DMS EC HS MA MC MDA MI MP ND NP NRO NS OS PT SA SE SO SP TE TM] [AMSC: N9120]  M DI-SESS-81404A  Weight and Stability Reports for In-Service Surface Ships [AMSC: N9202]  M DI-SESS-81517B NOT 2  M DI-SESS-81518B NOT 2  M DI-SESS-81518B NOT 2  M DI-SESS-81519B NOT 2  Instructional Performance Requirements Document  A SESS AS 20-JUN-20  M DI-SESS-81519B NOT 2  Instructional Media Requirements Document  A SESS AS 20-JUN-20  A SESS AS 20-JUN-20			Grease, Aircraft and Instrument [CUST: CR4 AS 68] [REVIEW: AR AV EA MI PS SH]				68	22-JUN-2011
M MIL-PRF-29612B NOT 2 Training Data Products [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM]  M MIL-STD-3034 NOT 1 Reliability-Centered Maintenance (RCM) Process [CUST: AV SH 99] [REVIEW: 01 08 10 11 13 16 19 33 94 AC AR AS CC CG CH CR DC1 DC5 DH DI DMS EC HS MA MC MDA MI MP ND NP NRO NS OS PT SA SE SO SP TE TM] [AMSC: N9120]  M DI-SESS-81404A Weight and Stability Reports for In-Service Surface Ships [AMSC: N9202] A SESS SH 09-JUN-20  M DI-SESS-81517B NOT 2 M DI-SESS-81518B NOT 2 Instructional Performance Requirements Document A SESS AS 20-JUN-20  M DI-SESS-81519B NOT 2 Instructional Media Requirements Document A SESS AS 20-JUN-20  A SESS AS 20-JUN-20  A SESS AS 20-JUN-20	M	MIL-PRF-32033(2) NOT 1		A	9150		AT	29-JUN-2011
M MIL-STD-3034 NOT 1 Reliability-Centered Maintenance (RCM) Process [CUST: AV SH 99] [REVIEW: 01 08 10 11 13 16 19 33 94 AC AR AS CC CG CH CR DC1 DC5 DH DI DMS EC HS MA MC MDA MI MP ND NP NRO NS OS PT SA SE SO SP TE TM] [AMSC: N9120]  M DI-SESS-81404A Weight and Stability Reports for In-Service Surface Ships [AMSC: N9202] A SESS SH 09-JUN-20 M DI-SESS-81517B NOT 2 M DI-SESS-81518B NOT 2 Instructional Performance Requirements Document A SESS AS 20-JUN-20 M DI-SESS-81519B NOT 2 Instructional Media Requirements Document A SESS AS 20-JUN-20	M	MIL-PRF-29612B NOT 2	Training Data Products [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD	A	SESS		AS	20-JUN-2011
M DI-SESS-81404A Weight and Stability Reports for In-Service Surface Ships [AMSC: N9202] A SESS SH 09-JUN-20 DI-SESS-81517B NOT 2 Training Situation Document A SESS AS 20-JUN-20 DI-SESS-81518B NOT 2 Instructional Performance Requirements Document A SESS AS 20-JUN-20 DI-SESS-81519B NOT 2 Instructional Media Requirements Document A SESS AS 20-JUN-20 DI-SESS-81519B NOT 2 Instructional Media Requirements Document A SESS AS 20-JUN-20 DI-SESS-81519B NOT 2 Instructional Media Requirements Document A SESS AS 20-JUN-20 DI-SESS-81519B NOT 2 Instructional Media Requirements Document DI-SESS-81519B NOT 2 Instructional Media Requirements DI-SESS-81519B NOT 2 Instru	M	MIL-STD-3034 NOT 1	Reliability-Centered Maintenance (RCM) Process [CUST: AV SH 99] [REVIEW: 01 08 10 11 13 16 19 33 94 AC AR AS CC CG CH CR DC1 DC5 DH DI DMS EC HS MA MC MDA MI MP ND NP	A	SESS		SH	22-JUN-2011
M DI-SESS-81517B NOT 2Training Situation DocumentA SESS AS20-JUN-20M DI-SESS-81518B NOT 2Instructional Performance Requirements DocumentA SESS AS20-JUN-20M DI-SESS-81519B NOT 2Instructional Media Requirements DocumentA SESS AS20-JUN-20	M	DI-SESS-81404A		A	SESS		SH	09-JUN-2011
M DI-SESS-81519B NOT 2 Instructional Media Requirements Document A SESS AS 20-JUN-20	1		Training Situation Document					20-JUN-2011
	1		<u>.</u>					20-JUN-2011
	1		Instructional Media Requirements Document Instructional Media Design Package	A A	SESS SESS		AS AS	20-JUN-2011 20-JUN-2011
	1							20-JUN-2011 20-JUN-2011
								20-JUN-2011
M DI-SESS-81523B NOT 2 Training Conduct Support Document A SESS AS 20-JUN-20			Training Conduct Support Document	A	SESS		AS	20-JUN-2011

01-JUL-2011 2

#### ACTIVE SECTION

#### **ASSIST UPDATE**

ACTIVE SECTION	ASSIST UPDATE					
Z C J OC J		DISTRIBUTION	FSC/AREA	4	PREP ACTY	
DOCUMENT NUMBER	DOCUMENT TITLE	SIST	JSC,	MCA	'RE	DATE
☐ DOCUMENT NUMBER  M DI-SESS-81524B NOT 2	DOCUMENT TITLE Training Evaluation Document	A	SESS		AS	DATE 20-JUN-2011
M DI-SESS-81525B NOT 2	Test Package		SESS		AS	20-JUN-2011
M DI-SESS-81526B NOT 2	Instructional Media Package		SESS		AS	20-JUN-2011
M DI-SESS-81527B NOT 2	Training System Support Document  Children for Association of Training Data Purchasts and Sarvines (Part Lef 5 Parts) (CUST: AV AS		SESS SESS		AS	20-JUN-2011
M MIL-HDBK-29612/1A NOT 2  M MIL-HDBK-29612/2A NOT 2	Guidance for Acquisition of Training Data Products and Services (Part 1 of 5 Parts) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM] Instructional Systems Development/Systems Approach to Training and Education (Part 2 of 5 Parts) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM]		SESS		AS AS	20-JUN-2011 20-JUN-2011
M MIL-HDBK-29612/3A NOT 2	[CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM]  Development of Interactive Multimedia Instruction (IMI) Part 3 of 5 Parts) [CUST: AV AS 94 DH]  [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM]	A	SESS		AS	20-JUN-2011
M MIL-HDBK-29612/4A NOT 2	Glossary for Training (Part 4 of 5 Parts) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM]	A	SESS		AS	20-JUN-2011
M MIL-HDBK-29612/5 NOT 2	Advanced Distributed Learning (ADL) Products and Systems (Part 5 of 5 Parts) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM]	A	SESS		AS	20-JUN-2011
N TECHAMERICA-EIA-GEB1	Diminishing Manufacturing Sources and Material Shortages (DMSMS) Management Practices [CUST: MI AS 10 CC] [REVIEW: 11 16 70 71 85 AT AV GS MC MR SH]	A	STDZ		SO	21-JUN-2011

# **INACTIVE SECTION**

# **ASSIST UPDATE**

INACTIVE SECTION	ASSIST UPDATE					
N OELS V DOCUMENT NUMBER		DISTRIBUTION			<b>&gt;</b>	
[5		BŪ	EA		ACTY	
A		Z	AR		Ą.	
AS		IST	FSC/AREA	MCA	PREP	
	DOCUMENT TITLE	-		2		DATE
M MIL-R-71135(3) NOT 1	Rifle, 5.56MM: M16A2E3 (M16A3) [CUST: AR]	A	1005		AR	24-JUN-2011
M MIL-DTL-38449D(1)	Signal and Signal/Intercommunication Amplifiers, Universal, Aerial Refueling [CUST: 71] [REVIEW: 84 99 GS]	A	1680		71	10-JUN-2011
M MIL-DTL-62576B NOT 1	Regulator, Engine Generator [CUST: AT YD] [REVIEW: CC MI]	A	2920		AT	20-JUN-2011
M MIL-F-53043(2) NOT 1	Forward Area Water Point Supply System [CUST: AT]	A	4320		AT	23-JUN-2011
M AN841 REV 6	Adapter - Hose to Flared Tube [CUST: AV AS 99 CC] [REVIEW: 71]	A	4730		CC	07-JUN-2011
M AN842 REV 12	Elbow - Pipe to Hose, 90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71]	A	4730		CC	07-JUN-2011
M AN844 REV 12	Elbow - Pipe to Hose, 45 Degrees [CUST: AV AS 99 CC] [REVIEW: 71]	A	4730		CC	07-JUN-2011
M AN846 REV 8	Elbow, Hose, 45 Degrees [CUST: AV AS 99 CC] [REVIEW: 71]	A	4730		CC	07-JUN-2011
M AN848 REV 12	Elbow, Hose, 90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71]	A	4730		CC	07-JUN-2011
M AN849 REV 12	Nipple, Hose [CUST: AS 99 CC] [REVIEW: 71 MC SA]	A			CC	07-JUN-2011
M AN910 REV 11	Coupling, Pipe [CUST: AV AS 99 CC] [REVIEW: 71]	A	4730		CC	07-JUN-2011
M MS28766B NOT 1	Valve, Shuttle, Hydraulic, Direct Mounting, 3000 PSI Type II Systems [CUST: AV AS 99] [REVIEW: 71 AT CC SA]	A	4820		AS	20-JUN-2011
M MS28767B NOT 1	Valve, Shuttle, Hydraulic, Internal Thread, Tube Fitting Outlet, 3000 PSI, Type II Systems [CUST:	A	4820		AS	20-JUN-2011
M ANGOOD DEV 7 NOT 1	AV AS 99] [REVIEW: 71 AT CC SA] Packing-"U" Cup Hydraulic [CUST: MI SH 99 IS] [REVIEW: AS]	١,	5330		IS	22-JUN-2011
M AN6226 REV 7 NOT 1 M MIL-C-5/1H	Capacitors, Fixed, MICA Dielectric, Style CM15 [CUST: CR EC 85 CC] [REVIEW: 99 MI]	1	5910		CC	21-JUN-2011
M MIL-R-5757/23M	Palaye Flactrical Harmatically Saalad DDDT 10 Amparas [CUST: CP EC 85 CC] [PEVIEW: 00	1	5945		CC	20-JUN-2011
W WILE-R-3737/23W	Relays, Electrical, Hermetically Sealed, DPDT, 10 Amperes [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	^	3943		CC	20-3011-2011
M MIL-R-83726/13J	Relays, Solid State, Time Delay, (on Operate), Type I Class C, SPSTNO, 300 Milliamperes, Fixed	A	5945		CC	14-JUN-2011
	Time, 0.05 to 600 Seconds, Hermetically Sealed [CUST: AT CC]					
M MIL-R-83726/27L	Relays, Hybrid, Time Delay, Voltage Sensitive, Delay on Drop-Out, Class A, Type V, Hermetically	A	5945		CC	13-JUN-2011
M. MIL DDE 1/1179E NOT 2	Sealed (Potted), SPDT, 2 Ampere, Track Mounted [CUST: EC 85 CC] [REVIEW: 99]	١,	5060		CC	21 HIN 2011
M MIL-PRF-1/1178E NOT 2	Electron Tube, Cathode Ray Type 7AGP19 [CUST: CR EC CC] [REVIEW: AS CG MC MI OS]	1	5960		CC	21-JUN-2011
M MIL-PRF-1/1297C NOT 2 M MIL-PRF-1/1342C NOT 2	Electron Tube, Cathode Ray Type 10AKP7 [CUST: EC CC] [REVIEW: AS CG MC OS] Electron Tube, Cathode Ray Type 1EP1 [CUST: CR EC 85 CC] [REVIEW: AR AS CG MC OS SH]	1	5960 5960		CC CC	21-JUN-2011 21-JUN-2011
M MIL-PRF-1/1342C NOT 2 M MIL-PRF-1/1389F NOT 2	Electron Tube, Cathode Ray Type 10ANP7 [CUST: CK EC 83 CC] [REVIEW: AK AS CG MC 03 SH]		5960		CC	21-JUN-2011 21-JUN-2011
M MIL-PRF-1/1392D NOT 2	Electron Tube, Cathode Ray Type 10ANY / [COST: EC CC] [REVIEW: AS COME OS SH]	1	5960		CC	21-JUN-2011 21-JUN-2011
	19 99 AS CG OS]					
M MIL-PRF-19500/199D NOT 1	Semiconductor Device, Diode, Silicon, Forward-Voltage Regulator, Type 1N816, JAN [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS MC OS SH SM]	A	5961		CC	01-JUL-2011
M MIL-M-38510J(1) NOT 3	Microcircuits, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	29-JUN-2011
M MIL-DTL-13777/1C	Cable, Special Purpose, Electrical 2, 3, 4 and 5 Conductors [CUST: AV SH 85 CC] [REVIEW: AR CR MI]	A	6145		CC	13-JUN-2011
M MIL-DTL-13777/2C	Cable, Special Purpose, Electrical 6, 7, 8, 9, 10, 12, 13, and 15 Conductors [CUST: AR SH 85 CC] [REVIEW: AT CR CR4 EC MC MI]	A	6145		CC	14-JUN-2011
M MIL-DTL-13777/4C	Cable, Special Purpose, Electrical 21, 22, 24, 26, 27, 28, and 32 Conductors [CUST: AR SH 85 CC] [REVIEW: AT CR CR4 MC MI]	A	6145		CC	13-JUN-2011
M MIL-DTL-45068E NOT 1	Light, Dome, Vehicular, 24 Volt DC [CUST: AT GS2] [REVIEW: IS]	1	6220		GS2	22-JUN-2011
M A-A-52313A NOT 1	Steel Sheets, Corrugated: 2-1/2 Inch Nominal Corrugation, Painted or Unpainted [CUST: AV 99] [REVIEW: IS NS]	A	9515	/	AV	22-JUN-2011

# **CANCELED SECTION**

# **ASSIST UPDATE**

CANCELED SECTION	ASSIST UPDATE					
Z C L S C L		DISTRIBUTION	FSC/AREA		PREP ACTY	
ASA CONTRACTOR OF STATE OF STA	DOOLD COVERED F	IST	SC//	MCA	REP	D 4 mm
☐ DOCUMENT NUMBER  M AN924 REV 11 NOT 3	DOCUMENT TITLE  Nut, Tube, Bulkhead and Universal Fitting (S/S by SAE-AS5178) [CUST: AV AS 99 CC]	A			<u>c</u> CC	DATE 14-JUN-2011
M MS9951 NOT 3	[REVIEW: 71] Nut, Spanner End Slots, Cupwasher Locked, Steel AMS6322, MIL-S-8879 (No S/S Document) [CUST: AS 99 IS]	A	5310		IS	27-JUN-2011
M MS9952A(1) NOT 5 M MIL-PRF-6106/43B(1) NOT 1	Washer, Cup, Lock - Expander Nut Cres, AMS 5846 (No S/S Document) [CUST: 11 IS] Relay, Electromagnetic, 65 Amperes, IPNO Double Break Hermetically Sealed, Type I (No S/S Document) [CUST: 85 CC] [REVIEW: 99]	A A			IS CC	27-JUN-2011 08-JUN-2011
M MIL-R-5757/103E NOT 1	Relays, Electrical, Hermetically Sealed SPDT, Low Level to 0.25 Ampere (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AS MC OS SH]	A	5945		CC	08-JUN-2011
M MIL-DTL-26126C NOT 1	Relays, Electrical, Overvoltage, DC, General Specification for (No S/S Document) [CUST: 85 CC] [REVIEW: 99]	A	5945		CC	08-JUN-2011
M MIL-DTL-26126/2B NOT 2	Relay, Electrical, Overvoltage, Type II, Hybrid, Sealed (No S/S Document) [CUST: 85 CC] [REVIEW: 99]	A	5945		CC	08-JUN-2011
M MIL-R-83516/1C(1) NOT 2	Relays, Reed, Dry, Dual In-Line Package (DIP), General Purpose (No S/S Document) [CUST: 85 CC] [REVIEW: 99]	A	5945		CC	08-JUN-2011
M AN3303 REV 3 NOT 1	Relay, 3 AMP, 4 PDT, Sealed, Connector Mounting, Class O (No S/S Document) [CUST: 85 CC] [REVIEW: 99]	A	5945		CC	08-JUN-2011
M MIL-S-20708/25A NOT 2	Synchro, Control Transformer, Type 16CTB4B (See Notice 2 for Replacement Information) [CUST: AS 99 CC] [REVIEW: OS]	A	5990		AS	14-JUN-2011
M MIL-S-20708/39A NOT 2	Synchro, Control Transformer, Type 19CTB4B (See Notice 2 for Replacement Information) [CUST: AS 99 CC] [REVIEW: OS]	A	5990		AS	14-JUN-2011
M MIL-S-20708/68C(1) NOT 2	Synchro, Torque Differential Transmitter, Type 31TDX6C (See Notice 2 for Replacement Information) [CUST: AS CC] [REVIEW: CG MC OS SH]	A	5990		AS	14-JUN-2011
M MIL-S-20708/94B(2) NOT 3	Synchro, 60 and 400 Hz, Size 23 (See Notice 3 for Replacement Information) [CUST: AR AS CC] [REVIEW: AT CR CR4 MI]	A	5990		AS	14-JUN-2011
M MIL-S-20708/139(2) NOT 2	Synchro, Control Transmitter, Type 31CX6A (See Notice 2 for Replacement Information) [CUST: AS CC] [REVIEW: CG MC OS SH]	A	5990		AS	14-JUN-2011
M IPC-QF-143	Finished Fabric Woven from Quartz (Pure Fused Silica), Specification for (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT CR4 EA]	A	5998		CR	13-JUN-2011
M SSB-1	Plastic Encapsulated Microcircuits and Semiconductor in Military, Aerospace and other Rugged Applications, Guidelines for (S/S by TechAmerica-GEIA-SSB1) [CUST: SP]		59GP		SP	17-JUN-2011
M GEB1	Diminishing Manufacturing Sources and Material Shortages (DMSMS) Management Practices (S/S by TechAmerica-EIA-GEB1)	A	MISC		SO	21-JUN-2011
01-ПЛ -2011	5	_				